



REPUBLIKA E KOSOVËS - REPUBLIKA KOSOVA - REPUBLIC OF KOSOVA		
QEVERIA E KOSOVËS - VLADA KOSOVA - GOVERNMENT OF KOSOVO		
MINISTRIA E BUJQËSISË, PYLLTARISË DHE ZHVILLIMIT RURAL		
MINISTRIJSTVO POLJOPRIVREDE, ŠUMARSTVA I RURALNOG RAZVOJA		
MINISTRY OF AGRICULTURE, FORESTRY AND RURAL DEVELOPMENT		
Arkivi Qendror - Centralno Arhivo - Central Archive		
Nr./Br.No.	1500	
Nr. i fq./Br Str.No. pg.	2+2+2	
Data/Datum/Date.	07.04.2023	
PRISHTINE - PRISTINA - PRISTINA		

**Republika e Kosovës**  
**Republika Kosova - Republic of Kosovo**  
**Qeveria - Vlada - Government**

**Ministria e Bujqësisë, Pylltarisë dhe Zhvillimit Rural**  
**Ministarstvo Poljoprivrede, Šumarstva i Ruralnog Razvoja**  
**Ministry of Agriculture, Forestry and Rural Development**

**Kabineti i Ministrit / Kabinet Ministra / Cabinet of the Minister**

Datë: 06.04.2023

Ref. KM-152/23

Në mbështetje të nenit 145 (paragrafi 2) të Kushtetutës së Republikës së Kosovës, duke marrë parasysh nenet 8, 9, 10 dhe 11 të Ligjit Nr. 06/L-113 për Organizimin dhe Funksonimin e Administratës Shtetërore dhe të Agjencive të Pavarura, (Gazeta Zyrtare, Nr. 7/ 01 mars 2019), duke u bazuar në nenin 8 (paragrafi 1.4) neni 15, Shtojca 11 të Rregullores (QRK)-Nr.02/2021 për Fushat e Përgjegjësisë Administrative të Zyrës së Kryeministrit dhe Ministrive (30.03.2021), dhe Nenin 20 (paragrafët 1, 4 dhe 5) të Ligjit Nr. 03/L-042 i Produkteve për Mbrojtjen e Bimëve, (Gazeta Zyrtare Nr. 44, datë 22.12.2008) si dhe në bazë të rekomandimit të Komisionit për vlerësim dhe autorizim të Produkteve për Mbrojtjen e Bimëve, me Ref.04-207/23, të datës 28.03.2023, Ministri i Ministrisë së Bujqësisë, Pylltarisë dhe Zhvillimit Rural, nxjerrë:

**VENDIM**

**Për futjen në regjistër dhe lejimin e autorizimit të produktit për mbrojtjen e bimëve për përdorim**

**1. Lejohet importimi, vendosja në treg dhe përdorimi i autorizimit të produktit për mbrojtjen e bimëve – Provaro 250 EC i prodhuesit “Bayer AG”, Gjermani nga përfaqësuesi i saj “Agromarket KS”, Prishtinë .**

**2. LLOJI I PRODUKTIT:** Fungicid

**3. PËRMBAJTJA E SUBSTANCËS AKTIVE:** Tebuconazole.....125g/L  
Prothioconazole.....125g/L

**4. PËRDORIMI:**

Provaro 250 EC përdoret në kulturat e grurit dhe te elbit për luftimin e shkaktarëve të sëmundjeve të gjetheve dhe kallinjve (Erysiphe graminis f.sp. tritici, Erysiphe graminis f.sp. hordei, Puccinia spp., Septoria tritici Pyrenophora teres, Fusarium spp.) me trajtim nga faza e kallinjve deri te mbarimi i lulëzimit. 1. Për të kontrolluar Erysiphe graminis f.sp.tritici, Erysiphe graminis f.sp dhe Puccinia spp., të trajtohet gjatë fazave të kallirit deri në mbarim të lulëzimit (fazat 30-69 të shkallës VVSN0, pas shfaqjes së simptomave të sëmundjes, dhe para përhapjes së parazitëve në tre gjethet e sipërme, përfshirë falmurthin dhe kallirin). 2. Për kontrollin e Fusarium spp., trajtoni nga fillimi i fazës së lulëzimit, kur gjethet e para janë të dukshme deri në fund të fazës së lulëzimit (fazat 51-69 të shkallës VVSN) ose mbi bazën e rekomandimit të shërbimit të prognozës (kur plotësohen kushtet për përhapjen

e infeksionit); 3. Për të kontrolluar Septoria spp. Dhe Pyrenophora teres, trajtohen sipas fillimit të simptomave dhe kur plotësohen kushtet për infeksion.  
Sasia e përdorimit: grurë, elb 0.75-1.0l/ha(7.5-10ml/100m<sup>2</sup>); konsumi i ujit:200-400l/ha(2-4l/100m<sup>2</sup>).  
Numri i trajtimeve: dy herë.

#### 5. SASIA E AMBALAZHIMIT PËR IMPORTIM:

1L

#### 6. VËREJTJE:

Tek bimët-fitotokdimi: nëse përdoret sipas udhëzimit të prodhuesit, nuk ka rrezik nga shfaqja e fitotoksimit. Gjatë trajtimit të respektohen zonat ujëmbrojtëse dhe të parandalohet kontaminimi i ujit, duke bërë trajtimin së paku 20m larg tij.

#### 7. KARENCA:

42 ditë për grurin dhe elbin.

#### 8. PROPOZIMI I KLASIFIKIMIT:



GHS07-ngacmues,irritues (cat 2 ose 3)



GHS08-i dëmshëm për shëndetin.



GHS09- paralajmerim (cat 1)-i rrezikshëm për ambient.

#### 9. VENDI I SHITJËS: Në tërë territorin e Republikës së Kosovës.

10. Produkti për mbrojtjen e bimëve i autorizuar nga pika 1 e këtij vendimi lejohet të importohet në Republikën e Kosovës, deri në afatin siç është përcaktuar në certifikatën e regjistrimit, duke u bazuar në Databazën e Pesticideve të BE-se/Substancave aktive, ndërsa qarkullimi dhe përdorimi i tij lejohet sipas nenit 26 paragrafi 3 i Ligjit Nr.03/L-042 i Produkteve për Mbrojtjen e bimëve.

#### 11. Ky vendim hyn në fuqi ditën e nënshkrimit.



#### Vendimi i dërgohet:

- Komisioni për vlerësimin dhe autorizimin e produkteve për mbrojtjen e bimëve;
- Departamenti i Politikave Bujqësore dhe Tregjeve;
- Shërbimi kufitar fitosanitar;
- Inspektorët fitosanitar AUV;
- Importuesit të produkteve për mbrojtjen e bimëve;
- Arkivit.



REPUBLIKA E KOSOVËS - REPUBLIKA KOSOVA - REPUBLIC OF KOSOVA QEVERIA E KOSOVËS - VLADA - OSOVA - GOVERNMENT OF KOSOVO MINISTRIA E BUJQËSISË, PYLLTARISË DHE ZHVILLIMIT RURAL MINISTARSTVO POLJOPRIVREDE, ŠUMARSTVA I RURALNOG RAZVOJA MINISTRY OF AGRICULTURE, FORESTRY AND RURAL DEVELOPMENT Arkivi Qendror - Centralno Arhivo - Central Archive		
Nr./Br./No.	1500	
Nr. i fq./Br. Str./No. pg.	2+2+2	
Data/Datum/Date	07.04.2023	
PRISHTINE PRISTINA PRISTINA		

**Republika e Kosovës**  
**Republika Kosova - Republic of Kosovo**  
**Qeveria - Vlada - Government**

**Ministria e Bujqësisë, Pylltarisë dhe Zhvillimit Rural**  
**Ministarstvo Poljoprivrede, Šumarstva i Ruralnog Razvoja**  
**Ministry of Agriculture, Forestry and Rural Development**

**Kabineti i Ministrit / Kabinet Ministra / Cabinet of the Minister**

Date:06.04.2023  
Ref. KM-152/23

Pursuant to Article 145 (paragraph 2) of the Constitution of the Republic of Kosovo, taking into account articles 8, 9, 10 and 11 of the Law No. 06/L – 113 on the Organization and Functioning of State Administration of the Independent Agencies, (Official Gazette, No. 7/01 March 2019), based on Article 8 (paragraph 1.4) article 15, Annex 11 of the Regulation (GRK) – No. 02/2021 on the Areas of the Administrative Responsibilities of the Prime Minister’s Office and the Ministries (30.03.2021), and Article 20 (paragraphs 1,4 and 5) of the Law No. 03/L – 042 of the Plant Protection Products (Official Gazette No. 44, date 22.12.2008) as well as based on recommendation of the Commission on assessment and authorization of the Plant Protection Products, with Ref. 04-207/23, of the date 28.03.2023, Minister of the Ministry of Agriculture, Forestry and Rural Development, issues the following:

**DECISION**

**On the Inclusion in the register and permitting the authorization to use plant protection product**

1. The import, placement in the market and the authorization to use plant protection product – **Prosaro 250 EC** of producer “**Bayer AG**”, Germany from its representative “**Agromarket KS**”, Prishtinë shall be permitted.

2. **TYPE OF PRODUCT:** Fungicide

3. **CONTENT OF ACTIVE SUBSTANCE:** Tebuconazole.....125g/L  
Prothioconazole.....125g/L

**4. USE:**

Prosaro 250 EC is used in wheat and barley crops to combat the causes of leaf and ear diseases (Erysiphe graminis f.sp. tritici, Erysiphe graminis f.sp. hordei, Puccinia spp., Septoria tritici Pyrenophora teres, Fusarium spp. ) with treatment from the ear stage until the end of flowering. 1. To control Erysiphe graminis f.sp.tritici, Erysiphe graminis f.sp and Puccinia spp., treat during the ear stages until the end of flowering (stages 30-69 of the VVSN0 scale, after the appearance of disease symptoms, and before the spread of the parasites to the upper three leaves, including the cob and the ear). 2. For the control of Fusarium spp., treat from the beginning of the flowering stage, when the first leaves are visible until the end of the flowering stage (stages 51-69 of the VVSN scale) or based on the recommendation of the

forecast service (when the conditions for propagation are met of infection); 3. To control Septoria spp. And Pyrenophora teres, are treated according to the onset of symptoms and when the conditions for infection are met.

Amount of use: wheat, barley 0.75-1.0l/ha (7.5-10ml/100m<sup>2</sup>); water consumption: 200-400l/ha (2-4l/100m<sup>2</sup>).

Number of treatments: twice.

## 5. PACKING QUANTITY FOR IMPORT:

1L

## 6. REMARK:

In plants - phytotoxicity: if used according to the manufacturer's instructions, there is no risk of phytotoxicity. During the treatment, respect the water protection areas and prevent water contamination, doing the treatment at least 20m away from it.

## 7. KARENCA:

42 days for wheat and barley.

## 8. PROPOSAL OF CLASSIFICATION:



GHS07- irritant (cat 2 or 3)



GHS08- harmful to health



GHS09-warning (cat 1) – environmental hazard

9. PLACE OF SELLING: In the whole territory of the Republic of Kosovo.

10. The plant protection product authorized by point 1 of this decision is allowed to be imported into the Republic of Kosovo, until the deadline as defined in the registration certificate, based on the EU Pesticides/Active Substances Database, while circulation and its use is allowed according to article 26 paragraph 3 of Law No. 03/L-042 of Plant Protection Products.

11. This decision shall enter into force on the day of signature.



The Decision shall be sent to the following:

- Commission on assessment and authorization of plant protection products;
- Department of Agriculture Policy and Trade;
- Phytosanitary boundary service;
- Phytosanitary inspectors VFA;
- Importers of plant protection products, and
- Archive



REPUBLICA E KOSOVES - REPUBLIC OF KOSOVO - REPUBLIC OF KOSOVO
QEVERIA E KOSOVES - VLADA KOSOVA - GOVERNMENT OF KOSOVO
MINISTRIA E BUJQESISE, PYLLTARISE DHE ZHVILLIMIT RURAL
MINISTRY OF AGRICULTURE, FORESTRY AND RURAL DEVELOPMENT
Arkivi Qendror - Centralna Arhiva - Central Archive
Nr./Br./No. <b>1500</b>
Nr. i fq./Br. Str./No. pg. <b>2+2+2</b>
Data/Datum/Date: <b>07.04.2023</b>
PRISHTINE PRISTINA PRISTINA

**Republika e Kosovës**  
**Republika Kosova - Republic of Kosovo**  
**Qeveria - Vlada - Government**

**Ministria e Bujqësisë, Pylltarisë dhe Zhvillimit Rural**  
**Ministarstvo Poljoprivrede, Šumarstva i Ruralnog Razvoja**  
**Ministry of Agriculture, Forestry and Rural Development**

**Kabineti i Ministrit / Kabinet Ministra / Cabinet of the Minister**

Datum: 06.04.2023

Ref. KM-152/23

U prilog članu 145 (stav 2) Ustava Republike Kosovo, uzimajući u obzir članove 8, 9, 10 i 11 Zakona br. 06/L-113 o organizaciji i funkcionisanju državne uprave i nezavisnih agencija, (Službeni list, br. 7/01.03.2019), na osnovu člana 8 (stav 1.4) člana 15, Dodatak 11 Uredbe (VRK )-br.02/2021 za oblasti administrativne odgovornosti kabineta premijera i ministarstava (30.03.2021), i člana 20 (stav 1, 4 i 5) Zakona br. 03/L-042 o sredstvima za zaštitu bilja (Službeni list br.44 od 22.12.2008) kao i na osnovu preporuke Komisije za ocenjivanje i ovlašćenje sredstava za zaštitu bilja, sa Ref.04-207/23, od datuma 28.03.2023, Ministar Ministarstva poljoprivrede, šumarstva i ruralnog razvoja izdaje:

**ODLUKA**

**Za uvođenje u registar i dozvolu ovlašćenja proizvoda za zaštitu bilja za upotrebu**

**1. Dozvoljava se uvoz, plasiranje na tržište i korišćenje ovlašćenje proizvoda za zaštitu bilja – Prosaro 250 EC proizvođača “Bayer AG”, Nemačka od svog predstavnika “Agromarket KS”, Priština .**

**2. TIP PROIZVODA:** Fungicid

**3. SADRŽAJ AKTIVNE SUBSTANCE:** Tebuconazole.....125g/L  
Prothioconazole.....125g/L

**4. UPOTREBA:**

Prosaro 250 EC se koristi u usevima pšenice i ječma za suzbijanje uzročnika bolesti lista i klasja (Erisiphe graminis f.sp. tritici, Erisiphe graminis f.sp. hordei, Puccinia spp., Septoria tritici Pirenophora teres, Fusarium spp.) tretman od stadija klasje do kraja cvetanja.

1. Za suzbijanje Erysiphe graminis f.sp. tritici, Erisiphe graminis f.sp. i Puccinia spp., tretirati u fazi klasja do kraja cvetanja (faze 30-69 VVSN0 skale, nakon pojave simptoma bolesti i pre širenja parazita na gornja tri lista, uključujući zastavice i klasje).

2. Za suzbijanje Fusarium spp. tretirati od početka faze cvetanja, kada su vidljivi prvi listovi do kraja faze cvetanja (faze 51-69 VVSN skale) ili na osnovu preporuke usluga prognoze (kada su ispunjeni uslovi za razmnožavanje infekcije);

3. Za kontrolu Septoria spp. I Pirenophora teres, tretiraju se u skladu sa pojavom simptoma i kada su ispunjeni uslovi za infekciju.

Količina upotrebe: pšenica, ječam 0,75-1,0l/ha (7,5-10ml/100m<sup>2</sup>); potrošnja vode: 200-400l/ha (2-4l/100m<sup>2</sup>).

Broj tretmana: dva puta.

## 5. KOLIČINA AMBALAŽA ZA UVOZ:

1L

## 6. NAPOMENA:

U biljkama – fitotoksičnost: ako se koristi prema uputstvima proizvođača, ne postoji rizik od fitotoksičnosti. Tokom tretmana, poštovati vodozaštitna područja i sprečiti kontaminaciju vode, obavljajući tretman na udaljenosti od najmanje 20m od nje.

## 7. KARENCA:

42 dana za pšenicu i ječam.

## 8. PREDLOG KLASIFIKACIJE:



GHS07- nadraživ, irtiran (cat 2 ili 3)



GHS08- štetno po zdravlje



GHS09- upozorenje (cat 1) - ekološki opasan

## 9. MESTO PRODAJE:

Na celoj teritoriji Republike Kosovo.

10. Sredstvo za zaštitu bilja odobreno tačkom 1. ove odluke je dozvoljeno za uvoz u Republiku Kosovo, do roka definisanog u sertifikatu o registraciji, na osnovu baze podataka o pesticidima/aktivnim supstancama EU/a, dok je njegov promet i upotreba dozvoljeno prema članu 26 stav 3 Zakona br. 03/L-042 o sredstvima za zaštitu bilja.

11. Ova odluka stupa na snagu danom potpisivanja.

*Odluka se šalje:*

- Komisija za procenu i odobrenje preparata za zaštitu bilja;
- Departament Poljoprivrednih Politika i Tržišta;
- Fitosanitarna granična služba;
- Fitosanitarni inspektori AHV;
- Uvozniku srestava za zaštitu bilja;
- Arhiva.

